



GOVERNMENT OF GUAM DEPARTMENT OF PUBLIC HEALTH AND SOCIAL SERVICES DIVISION OF ENVIRONMENTAL HEALTH			BARBER AND BEAUTY SHOPS, SCHOOLS, AND THE PRACTICE OF BARBERING AND COSMETOLOGY INSPECTION REPORT	
INSPECTION	GRADE	Inspection Date	ESTABLISHMENT NAME:	
Regular <input checked="" type="checkbox"/>	10 A	10/16/18	NEW YORK NAILS	
Follow-Up <input checked="" type="checkbox"/>		Time In/Out:	OWNER/OPERATOR:	
Complaint <input checked="" type="checkbox"/>		1:15PM/3:50PM	NEW YORK NAILS	
Investigation <input type="checkbox"/>		Sanitary Permit:	LOCATION:	
Other(Specify Below)		No.: 18000624	LOT 2145-REM3 #199 CHALAN SAN ANTONIO GPD VTE 102-A TRIMUNING	
		Exp.: 6/30/19	ESTABLISHMENT TYPE: BEAUTY SALON	
The following items identify violations found this day in the operations and facilities which must be corrected by the next inspection, or sooner as the Department indicates. Non-compliance may result in downgrading or permit suspension. To appeal, a written hearing request must be submitted before the indicated correction date.				
ITEM NO.*	REMARKS			DEMERITS
20.	AN INSPECTION WAS CONDUCTED IN RESPONSE TO COMPLAINT # 18-150B REGARDING CUSTOMER HAVING SORES AND "BURNT SKIN" AFTER RECEIVING SERVICE FROM THE ESTABLISHMENT, "NAIL TOOLS NOT BEING CLEANED OR SOAKED" DURING SERVICE, AND SINGLE-USE ITEMS BEING REUSED AND FOOT TUBS NOT BEING CLEANED AND WITH RESIDUE. ALL COMPLAINTS COULD NOT BE VERIFIED DURING THE TIME OF INSPECTION.			2 11/15/2018
	PREVIOUS INSPECTION DATED 09/29/2018 RESULTED IN A GRADE/RATING OF U/A. THE FOLLOWING WERE OBSERVED:			
	COMMON USE BRUSHES WERE FOUND STORED IN NAIL STATIONS. NAIL CUTTER IN WORKSTATION WAS FOUND WITH RUST.			
	MULTI-USE INSTRUMENTS AND UTENSILS SHALL BE MADE EASILY CLEANABLE AND KEPT IN GOOD REPAIR TO PREVENT CONTAMINATION AND PHYSICAL HAZARDS.			
21.	NAIL STATION CABINET DOORS WERE FOUND IN DISREPAIR (IE..NOT ATTACHED PROPERLY); CLEAN UTENSILS WRAPPED IN CLOTH TOWELS FOUND IN NAIL STATION DRAWERS; NAIL STATION CABINETS WERE FOUND CLUTTERED WITH USED NAIL BUFFERS, MONEY, TOYS, PAPER AND PLASTIC (C.O.S.)			2 11/15/2018
	STORAGE CABINETS SHALL BE MAINTAINED TO PREVENT CONTAMINATION OF CLEAN INSTRUMENTS.			
	UNNECESSARY ARTICLES SUCH AS STUFFED TOYS IN PLASTIC BAGS AND BOXES WERE FOUND IN EMPLOYEE LOUNGE (PREVIOUSLY USED AS A WAXING ROOM).			
	ONLY ARTICLES NECESSARY FOR THE OPERATION AND MAINTENANCE			
30.	I HAVE READ AND UNDERSTAND THE ABOVE VIOLATION(S) AND I AM AWARE OF THE CORRECTIVE MEASURES TO BE TAKEN.			2 11/15/2018
	*When any of the following items are cited above, they shall be corrected within ten (10) days of this inspection:			
	(1), (2), (3), (7), (8), (17), (22), (24), (31), (43), and (45).			
	RECEIVED BY (Name & Title): VIVIAN TRIEU DEH INSPECTOR (Name & Title): V. RAMUNDO, EPHO I			
R. ORLANDO, EPHO I				
GEH-07 Rev: 10/98		WHITE COPY - Office YELLOW COPY - Establishment		

GOVERNMENT OF GUAM DEPARTMENT OF PUBLIC HEALTH AND SOCIAL SERVICES DIVISION OF ENVIRONMENTAL HEALTH			BARBER AND BEAUTY SHOPS, SCHOOLS, AND THE PRACTICE OF BARBERING AND COSMETOLOGY INSPECTION REPORT		
INSPECTION	GRADE	Inspection Date	ESTABLISHMENT NAME:		
Regular <input checked="" type="checkbox"/>	10 / A	10 / 16 / 18	NEW YORK NAILS		
Follow-Up <input type="checkbox"/>		Time In/Out:	OWNER/OPERATOR:		
Complaint <input checked="" type="checkbox"/>		1:15PM / 3:30PM	NEW YORK NAILS		
Investigation <input type="checkbox"/>		Sanitary Permit No.: 180000624	LOCATION:		
Other(Specify Below)		Exp.: 6/30/19	LOT 2145 - REM3 #199 CHALAN SAN ANTONIO GPO STE 102-A TA		
ESTABLISHMENT TYPE: BEAUTY SALON					
The following items identify violations found this day in the operations and facilities which must be corrected by the next inspection, or sooner as the Department indicates. Non-compliance may result in downgrading or permit suspension. To appeal, a written hearing request must be submitted before the indicated correction date.					
ITEM NO.*	REMARKS				DEMERITS
38.	SHALL BE STORED ON THE PREMISES TO KEEP THE ESTABLISHMENT CLEAN AND FREE OF LITTER.				4 11/16/2018
	CEILINGS AND VENT COVERS OBSERVED WITH ACCUMULATION OF DUST.				
	CEILINGS AND FIXTURES SHALL BE KEPT CLEAN TO PROMOTE THE OVERALL SANITARY CONDITION OF THE ESTABLISHMENT.				
	PHOTOS WERE TAKEN.				
	REMOVED PLACARD "A" NO. 01809.				
	ISSUED AND POSTED PLACARD "A" NO. 02188 ON FRONT GLASS WINDOW.				
	INFORMED PERSON-IN-CHARGE (PIC) TO PROVIDE PHOTOS OR DOCUMENTATION OF THE CORRECTIONS MADE TO THE VIOLATIONS CITED ON THIS REPORT TO DPHSS - DEH VIA EMAIL/FAX. CONTACT INFORMATION PROVIDED TO PIC.				
	DISCUSSED THIS REPORT WITH VIVIAN TRIEN, OWNER.				
	I HAVE READ AND UNDERSTAND THE ABOVE VIOLATION(S) AND I AM AWARE OF THE CORRECTIVE MEASURES TO BE TAKEN.				
*When any of the following items are cited above, they shall be corrected within ten (10) days of this inspection: (1), (2), (3), (7), (8), (17), (22), (24), (31), (43), and (45).			RECEIVED BY (Name & Title): VIVIAN TRIEN 		
			DEH INSPECTOR (Name & Title): V. RAYMUNDO, EPHO I  / R. ORIONDO, EPHO I gn		
GEH-07 Rev: 10/98			WHITE COPY - Office YELLOW COPY - Establishment		